BRUCKNER

Findings, stamping and forming technology

Product Catalogue



2026

Jewellery Findings in Gold, Silver, Platinum and Brass

BRUCKNER
Findings, stamping and forming technology

Sehr geehrte Kundin, sehr geehrter Kunde,
wir möchten Ihnen gerne unser aktualisiertes Programm für Schmuckfurnituren vorstellen und freuen uns, Ihnen unsere Produktübersicht überreichen zu dürfen.
Für Sie das Wichtigste in Kürze zusammengefasst:

- Für Angebote und Preisanfragen zu Produkten kontaktieren Sie uns telefonisch oder per E-Mail. Gerne unterbreiten wir Ihnen ein tagesaktuelles Angebot auf Basis der Edelmetallkurse.
- Für Kunden aus der Europäischen Union: Bitte geben Sie bei einer Bestellung immer Ihre gültige VAT-Nr. (USt Id-Nr./ Steuer-Id-Nummer) an. Die Warenlieferungen erfolgen dann mehrwertsteuerfrei. Ist keine VAT-Nr. vorhanden, so sind wir verpflichtet, Ihnen die gesetzliche Mehrwertsteuer in Rechnung zu stellen.
- Datenverarbeitung: Wie speichern erforderliche personenbezogene Daten gem. § 28 BDSG.
- Druckfehler, Irrtümer und Änderungen vorbehalten.

Vielen Dank für Ihr Interesse an unseren Produkten.

Adresse:
Bruckner Furnituren
Gewerbestraße 14
75217 Gräfenhausen
Deutschland

Telefon: +49 (0) 7231 429 920

E-Mail: info@furnituren.com
www.furnituren.com

Geschäftsführer: Siegfried Bruckner
USt-IdNr. DE 164 078 673

Dear Customer,
We would like to present our updated range of jewelry findings and are pleased to provide you with our product overview.
Here is a summary of the most important information for you:

- For quotes and price inquiries about products, please contact us by phone or E-Mail. We would be happy to provide you with a quote based on the current daily precious metal prices.
- For customers from the European Union: Please always provide your valid VAT number (VAT ID number/ tax ID number) when placing an order. The goods will then be delivered VAT-free. If no VAT number is available, we are obliged to charge you the statutory value added tax.
- Data processing: We store the necessary personal data in accordance with § 28 BDSG (Federal Data Protection Act).
- Subject to printing errors, mistakes, and changes.

Thank you for your interest in our products.

Address:
Bruckner Furnituren
Gewerbestraße 14
75217 Gräfenhausen
Germany

Phone: +49 (0) 7231 429 920

E-Mail: info@furnituren.com
www.furnituren.com

Managing Director: Siegfried Bruckner
VAT ID No. DE164 078 673

Table of Contents

- Butterflies 5
- Pearlshells, Ear studs, Pins 8
- Earclips 10
- Bails 11
- Leverbacks/Earhooks 13
- Pendant/Necklace Findings 15
- Other Findings 17
- In-house Tooling Services 18

- Surface Finishing -

Our galvanic coatings

Rotgold

1N

103

T-Farbe



Silber

Platin

Rhodium

All items also available with a satin matte finish



<u>Custom alloys</u> and <u>personalized customer stamps</u>

available upon request

- Butterflies -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1001 *Standard Butterfly* - lightweight with strong grip - Ø = 4.6 mm - sheet thickness Gold: 0.2 mm - sheet thickness Silver: 0.25 mm		Brass 925 Silver 333 Yellow gold 375 Yellow gold 585 Yellow gold 585 Rose gold 750 Yellow gold 585 Whithe gold 750 White gold
1008 *Standard Butterfly Variant* - sturdy with strong grip - Ø = 5.1 mm - sheet thickness: 0.25 mm		Brass 925 Silver 333 Yellow gold 375 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold 950 Platinum
1008/0,35 *Tall Butterfly* - improved grip - heavyweight & premium quality - Ø = 5.1 mm - sheet thickness: 0.35 mm		925 Silver 333 Yellow gold 585 Yellow gold 585 Red gold 585 White gold 750 Yellow gold 750 White gold
1017 *Mini Butterfly* - small & ultra-light - strong grip - Ø = 3.8 mm - sheet thickness: 0.22 mm		333 Yellow gold 375 Yellow gold 585 Yellow gold 750 Yellow gold

- Butterflies -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1014/8 *Butterfly with Plate* - large butterfly - easy handling and secure grip - Ø = 8.0 mm - sheet thickness: 0.3 mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1014/10 *Butterfly with Plate* - very large butterfly - easy handling and secure grip - Ø = 10.0 mm - sheet thickness: 0.3 mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold Platinum
1014/12 *Butterfly with Plate* - very large butterfly - easy handling and secure grip - Ø = 12.0 mm - sheet thickness: 0.3 mm		925 Silver 333 Yellow gold 585 Yellow gold 585 White gold 750 Yellow gold 750 White gold
1025 *Premium Butterfly* - two-piece / curved - Ø = 8.0 mm - sheet thickness plate: 0.4 mm - sheet thickness butterfly: 0.3 mm		925 Silver 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold

- Butterflies -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1025/P *Premium Butterfly* - two-piece / curved - Ø = 6.0 und 8.0 mm available - sheet thickness plate: 0.4 mm - sheet thickness butterfly: 0.3 mm		925 Silver 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1026 *Butterfly with Plate* - sturdy with a large base - Ø = 8.0 mm - sheet thickness: 0.30 mm		925 Silver 333 Yellow gold 585 Yellow gold 585 White gold 750 Yellow gold 750 White gold
1028 *Butterfly with Plain Rim* - sturdy with strong grip - Ø = 5.8mm - sheet thickness: 0.3 mm		Brass 925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1031 *Butterfly scalloped* - large pin lead-in radius - improved grip - Ø = 4.2mm - sheet thickness silver: 0.25 mm - sheet thickness gold: 0.20 mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold

- Pearlshells, Ear studs, Pins -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1002/10 *Pin* - Pin-Ø silver = 0.95 mm Lenght : 10, 11, 12 mm available - Pin-Ø gold = 0.9 mm Lenght: 10 + 12 mm available		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1009/4 *Pearlshell with Pin* - shell grooved or smooth available - Ø Pearlshell: 3 - 8.5 mm - Pin-Ø silver: 0.95x12,5 mm - Pin-Ø gold: 0.65/ 0.80/ 0.90mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1009/5 PS *Pin with Plate* - Ø Plate : 4 - 10 mm available - Pin-Ø silver = 0.95x12,5 mm - Pin-Ø gold = 0.90x12,5 mm		925 Silver Gold upon request
1009/5.0 P *Pin with Plate* - Ø Plate : 4 - 10 mm available - Pin-Ø silver = 0.95x10 mm - Pin-Ø gold = 0.90x10 mm		925 Silver Gold upon request

- Pearlshells, Ear studs, Pins -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1009/8R *Ear Stud with Rim* - Ø shell: 6 - 10 mm available - Pin-Ø silver = 0.95x10 mm - Pin-Ø gold = 0.9x10 mm		925 Silver Gold upon request
1009/B4 *Ear Stud with shell* - flower shape – shell curved - Ø shell 4.3 & 5.6 mm available - Pin-Ø silver = 0.95x12,5 mm		925 Silver Gold upon request
1009/BP 4 *Ear Stud with Plate* - flower shape – flat plate - Ø plate: 4.3 & 5.6 mm available - Pin-Ø silver = 0.95x10 mm		925 Silver Gold upon request

- Earclips -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1034 *Flat Earclip* - Ø plate: 9 mm - long-lasting mechanism - secure fit - L x B x H: 15,6 x 9,6 x 6,0 mm		Brass Brass gold plated Brass silver plated 925 Silver Gold upon request
1035 *Earclip with Cup* - Ø shell: 9 mm - long-lasting mechanism - secure fit - L x B x H: 15,6 x 9,2 x 6,1 mm		Brass Brass gold plated Brass silver plated 925 Silver Gold upon request
1036 *Earclip with Cup* - Ø shell: 4-6-7 mm available - long-lasting mechanism - secure fit - L x B x H: 14,0 x 7,1 x 6,1 mm		Brass Brass gold plated Brass silver plated 925 Silver Gold upon request

- Bails -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1003/0,30 *Bail* - sheet thickness silver: 0.4 mm - sheet thickness gold: 0.3 mm - L x B x H: 2.2 x 0.95 x 6.8 mm		925 Silver 375 Yellow gold 333 Yellow gold 585 Yellow gold 750 Yellow gold
1003/0,40 *Bail* - sheet thickness silver: 0.4 mm - sheet thickness gold: 0.4 mm - L x B x H: 2.2 x 0.95 x 6.8 mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold
1003/H *Bail* - sheet thickness silver: 0.4 mm - sheet thickness gold: 0.4 mm - L x B x H: 3.3 x 1.05 x 6.7 mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold
1010 *Bail* - sheet thickness silver: 0.4 mm - sheet thickness gold: 0.4 mm - L x B x H: 3.0 x 1.4 x 8.3 mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold

- Bails -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1018 *Bail* - sheet thickness silver: 0.4 mm - sheet thickness gold: 0.3 mm - L x B x H: 3.0 x 2.5 x 6.4 mm		925 Silver Gold upon request
1018/S *Bail with Pin* - sheet thickness silver: 0.4 mm - sheet thickness gold: 0.3 mm - L x B x H: 3.0 x 2.5 x 6.4 mm		925 Silver Gold upon request
1040 *Bail Large Variant* - sheet thickness silver: 0.5 mm - L x B x H: 15 x 4.2 x 4,9 mm		925 Silver Gold upon request

- Leverbacks, Earhooks -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1004 *Leverback* *Teardrop – Horizontal Loop* - durable clasp mechanism - closed loop		Brass 925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1005 *Leverback* *Teardrop – Vertical Loop* - durable clasp mechanism - open flat loop		Brass 925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1006 *Leverback* *Flower* - durable clasp mechanism - open flat loop		Brass 925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 585 White gold 750 White gold
1032 *Leverback* *Oval* - durable clasp mechanism - open loop		925 Silver

- Leverbacks, Earhooks -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1038 *Leverback Round* - durable clasp mechanism - open loop - Ø leverback = 14,2mm - Ø loop = 3,15mm		925 Silver
1038/4 *Leverback Round w. Pendant* - durable clasp mechanism - open loop - shell Ø 3 – 6 mm available		925 Silver
1022 *Earhook Long* - Ø-loop: 3.3 mm - wire thickness: 0.7 mm - Ø-ball: 3.0 mm		925 Silver Gold upon request

- Pendant, Necklace Findings -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1012 *Pin with Loop* - wire Ø = 0.90 mm - loop Ø = 3.8 mm - lenght = 8.5 mm		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 750 White gold
1020 *Pendant with Pearlshell* - for pearls and stones - wire Ø = 0.90 mm - loop Ø = 3.8 mm - lenght = 8.5 mm - Ø shell: 3 - 6 mm available		925 Silver 333 Yellow gold 585 Yellow gold 750 Yellow gold 750 White gold
1021 *Open Loop* - Ø = 5 / 6 mm - wire Ø = 0.90 mm		925 Silver Gold upon request

- Pendant, Necklace Findings -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1037 *Bead* - Ø = 3 mm - hole Ø = 1,5 mm (gold = 1,2mm) - bead Ø 1,8 - 9 mm available upon request		Brass 925 Silver Gold upon request
1039 *Link/* *Glue-in End Cap* - L x B x H: 10 x 3,4 x 5,5 mm - with closed loop - wire Ø = 1,0 mm - loop Ø = 5 mm		925 Silver Gold upon request

- Other Findings -

Weight, dimensions, and further information are available upon request

Item No.		Available alloys
1027 *Stone Setting* - Ø: 2.2 mm , H 1.3 mm - Glue-in post 1.6 mm - for stones with Ø 1.5 mm, - Stones can be set by us		750 Yellow gold 750 White gold
1029 *Connerctor / Logo Tag* - with or without holes - oval: 5 x 9 mm - sheet thickness: 0.5 mm - Ø hole: 1.2 mm		925 Silver Gold upon request
1030 *Plate with Hole* - Ø: 4 - 10mm available - sheet thickness: 0.5 mm - hole Ø 0.9 mm		925 Silver Gold upon request
1501 *Pearlshell with Pin* - Pin lenght: 3 mm - Pin-Ø = 0.85 mm - Ø shell: 3 - 6 mm available		925 Silver Gold upon request

In-house Tooling Services

Our Tooling Services at a Glance:

- Analysis of stamping, bending, embossing, and progressive dies
- Conception and planning of new tools and dies
- Manufacturing of new tools and dies
- Repair and modification of existing tools and dies
- Wear optimization for stamping dies
- Jig & fixture construction and pneumatic control solutions
- Single-part and prototype manufacturing

Your Advantage

- Expert consulting from analysis to implementation
- Customized solutions tailored to your product requirements
- High precision and quality in manufacturing
- Fast response times for repairs and modifications

- Notes -

- Notes -

- Notes -